




塑钢模块输送网带
PLASTIC MODULAR BELTS




塑钢模块输送网带 *Plastic Modular Belts*



Pitch = 8mm

NET Code: N0800-HM0870-FT



Pitch = 10mm

NET Code: N1000-E400A-FT



Pitch = 10mm


Open area: 24%

NET Code: N1000-E400B-FG




Pitch = 12.7mm

NET Code: N1270-UMQNB-FT



Pitch = 12.7mm


NET Code: N1270-UMQNB-RB



Pitch = 12.7mm

Open area: 14%

NET Code: N1270-UMSNB-FG



Pitch = 12.7mm


Open area: 16%

NET Code: N1270-R500-FG



Pitch = 12.7mm


NET Code: N1270-HM1220-FT



Pitch = 12.7mm


Open area: 18%

NET Code: N1270-HM1230-FG




Pitch = 12.7mm

NET Code: N1270-P2120-FT




Pitch = 15mm

NET Code: N1500-R1505-FT



Pitch = 15.2mm

NET Code: N1520-T1100-FT



Pitch = 15.2mm

Open area: 28%

NET Code: N1520-T1100-FG



Pitch = 19.05mm


NET Code: N1905-R5935-FT



Pitch = 19.05mm

Open area: 6%


NET Code: N1905-R5935-VT




Pitch = 19.05mm Open area: 16%
NET Code: N1905-R5936-FG



Pitch = 19.05mm
NET Code: N1905-R5936-FS



Pitch = 19.05mm
NET Code: N1905-R8505-FT




Pitch = 19.05mm Open area: 20%
NET Code: N1905-R8506-FG



Pitch = 25mm Open area: 29%
NET Code: N2500-S25-400-FG



Pitch = 25mm
NET Code: N2500-S25-800-FT




Pitch = 25mm Open area: 36%
NET Code: N2500-E500B-FG




Pitch = 25mm Open area: 40%
NET Code: N2500-E501B-FG




Pitch = 25mm Open area: 16%
NET Code: N2500-E502B-FG




Pitch = 25mm
NET Code: N2500-E502A-FT




Pitch = 25.4mm
NET Code: N2540-R1000-FT




Pitch = 25.4mm
NET Code: N2540-R1000-FT(DP)



Pitch = 25.4mm Open area: 10%
NET Code: N2540-R1000-VT(DP)



Pitch = 25.4mm Open area: 40%
NET Code: N2540-R1000-FG



Pitch = 25.4mm
NET Code: N2540-R1000-FG(P)

塑钢模块输送网带 *Plastic Modular Belts*




Pitch = 25.4mm W = 28/38/48mm

NET Code: N2540-R1000-RRW



Pitch = 25.4mm

NET Code: N2540-R1000-RB




Pitch = 25.4mm

NET Code: N2540-R1005-FT




Pitch = 25.4mm

NET Code: N2540-R1005-RB




Pitch = 25.4mm

NET Code: N2540-R1005-LBP




Pitch = 25.4mm

NET Code: N2540-R7705-FT




Pitch = 25.4mm Open area: 8%

NET Code: N2540-R7706-VT




Pitch = 25.4mm

NET Code: N2540-UQNB-FT



Pitch = 25.4mm

NET Code: N2540-UQNB-R



Pitch = 25.4mm

NET Code: N2540-UQNB-RB




Pitch = 25.4mm

NET Code: N2540-USMPB-FT




Pitch = 25.4mm

NET Code: N2540-USMPB-FSG




Pitch = 25.4mm Open area: 34%

NET Code: N2540-USNBM2-FG



Pitch = 25.4mm

NET Code: N2540-USNBM2-FS




Pitch = 25.4mm Open area: 34%

NET Code: N2540-USNBM2-RR



Pitch = 25.4mm

NET Code: N2540-HM2510-FT



Pitch = 25.4mm

NET Code: N2540-HM2520-FT



Pitch = 25.4mm

Open area: 35%

NET Code: N2540-HM2531-RR



Pitch = 25.4mm

Open area: 35%

NET Code: N2540-HM2533-FG



Pitch = 25.4mm

Open area: 30%


NET Code: N2540-G1210-FG



Pitch = 25.4mm


Open area: 30%

NET Code: N2540-G1110-RR




Pitch = 25.4mm

NET Code: N2540-G1600-FT



Pitch = 25.4mm

NET Code: N2540-T100-RR




Pitch = 27.2mm

NET Code: N2720-T900-FT



Pitch = 27.2mm

NET Code: N2720-T900-FT(P)



Pitch = 27.2mm

Open area: 38%

NET Code: N2720-T900-FG



Pitch = 27.2mm

Open area: 38%

NET Code: N2720-T900-B



Pitch = 27.2mm

Open area: 38%

NET Code: N2720-T900-RR



Pitch = 27.2mm

W = 28/37/46mm

NET Code: N2720-T900-RRW




Pitch = 27.2mm

Open area: 5%

NET Code: N2720-T900-VT

塑钢模块输送网带 *Plastic Modular Belts*




Pitch = 27.2mm

NET Code: N2720-T900-RB



Pitch = 25.47.2mm

NET Code: N2720-T900-FS



Pitch = 27.2mm


Open area: 38%

NET Code: N2720-T900-OG



Pitch = 27.2mm

NET Code: N2720-T900-FG(F)




Pitch = 38.1mm

NET Code: N3810-R4705-FT



Pitch = 38.1mm


NET Code: N3810-R4705-FS



Pitch = 38.1mm

Open area: 23%


NET Code: N3810-R4707-RR



Pitch = 38.1mm

Open area: 31%

NET Code: N3810-R5966-FG



Pitch = 38.1mm

Open area: 33%

NET Code: N3810-R4812-FG



Pitch = 50mm

Open area: 27% / 9%

NET Code: N5000-S50-100(800)-FG



Pitch = 50mm

NET Code: N5000-S50-608-FT



Pitch = 50mm

Open area: 20%


NET Code: N5000-S50-808(806)-FT(FG)



Pitch = 50mm

Open area: 40%


NET Code: N5000-EU50-FG



Pitch = 50mm

Open area: 64%


NET Code: N5000-MWCM



Pitch = 50.8mm

NET Code: NR-B5505


型钢模块输送带网带 *Plastic Modular Belts*




Pitch = 50mm Open area: 36%
NET Code: N5000-ULSNB-RR



Pitch = 50.8mm
NET Code: N5080-UOPB4V-FT




Pitch = 50.8mm Open area: 23%
NET Code: N5080-UOPB4V-FG23



Pitch = 50.8mm Open area: 36%
NET Code: N5080-UOPB4V-FG36



Pitch = 50.8mm Open area: 12%
NET Code: N5080-UOPB4V-VT



Pitch = 50.8mm Open area: 23%
NET Code: N5080-UOPB4V-RR



Pitch = 50.8mm
NET Code: N5080-UOPB4V-FS




Pitch = 50.8mm
NET Code: N5080-UOPB4V-S




Pitch = 50.8mm
NET Code: N5080-UMPB-FT




Pitch = 50.8mm Open area: 18%
NET Code: N5080-UMPB-FG18



Pitch = 50.8mm Open area: 20%
NET Code: N5080-UMPB-FG20



Pitch = 50.8mm Open area: 22%
NET Code: N5080-UMPB-FG22



Pitch = 50.8mm
NET Code: N5080-UMPB-N/G



Pitch = 50.8mm
NET Code: N5080-UMPB-FS



Pitch = 50.8mm
NET Code: N5080-UMPB-FSG

塑钢模块输送网带 *Plastic Modular Belts*



Pitch = 50.8mm


NET Code: N5080-E100A-FT



Pitch = 50.8mm

Open area: 20%

NET Code: N5080-E100A-FG



Pitch = 50.8mm

Open area: 26%

NET Code: N5080-T400-RR



Pitch = 50.8mm


Open area: 17%

NET Code: N5080-T400-FG



Pitch = 50.8mm

NET Code: N5080-T400-FS



Pitch = 50.8mm

Open area: 18%


NET Code: N5080-T400-RT



Pitch = 50.8mm

Open area: 33%

NET Code: N5080-T200-OG



Pitch = 50.8mm

Open area: 26%

NET Code: N5080-G3110-RR



Pitch = 50.8mm

Open area: 35%

NET Code: N5080-HFF620-FG



Pitch = 50.8mm

Open area: 30%

NET Code: N5080-R2000-RR



Pitch = 50.8mm


NET Code: N5080-URTB-RT



Pitch = 57.15mm

Open area: 34%

NET Code: N5715-R4809-RR



Pitch = 57.15mm

Open area: 21%

NET Code: N5715-R5996-FG



Pitch = 57.15mm

Open area: 22%












NET Code: N5715-R5997-RR



Pitch = 63.5mm

NET Code: N6350-UXLB-FT

塑钢模块输送带 *Plastic Modular Belts*



塑钢模块输送带网带链轮/梳子板

Plastic Modular Belts Sprockets / Finger Transfer Plates (Comb)

SPROCKETS / FINGER TRANSFER PLATES

